

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S72	522	magnetic near3 flux and yoke\$1 and magnetron\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:47
S73	281	magnetic near3 flux and yoke\$1 and magnetron\$1	USPAT	OR	OFF	2005/03/14 13:48
S74	45	oven\$1 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:50
S75	41	@AD < ("20021210") and S74	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:51
S76	21	(resonat\$4 or resonan\$4) and S75	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:55
S77	19	(ring or circle or circular) and S76	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:56
S78	21	magnet\$1 and flux\$2 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:56
S79	21	magnet\$1 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:56
S80	18	pole\$2 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:57
S81	18	anode\$1 and cathode\$1 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:57
S82	18	(al or aluminum or cu or copper) and S81	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:57
S83	13	(aluminum or cu or copper) and S81	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 13:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S84	1	("6759639").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 15:42
S85	1	(resonat\$4 or resonan\$4) and S84	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 15:44
S86	1	(ring or circle or circular) and S84	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 15:54
S87	0	cathde and S84	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 15:48
S88	1	cathode and S84	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 15:48
S89	1	("5541391").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 15:54
S90	1	(ring or circle or circular) and S89	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:03
S91	1	("5635798").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:03
S92	1	magnet\$3 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:04
S93	1	magnet\$1 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:05
S94	1	flux\$2 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:33
S95	1	yoke\$1 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:34

S96	0	reverse and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:35
S97	0	normal and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:45
S98	191	flux\$3 and yoke\$1 and magnetron\$2 and pole\$1 and magnet\$1 and anode\$1 and cathode\$1 and (ring\$1 or circle or cylinder or circular or annular)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:49
S99	62	(resonat\$4 or resonan\$4) and S98	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:50
S10 0	38	(resonat\$4 or resonan\$4) and S98	USPAT	OR	OFF	2005/03/14 16:50
S10 1	37	@AD < ("20021210") and S100	USPAT	OR	OFF	2005/03/14 16:51
S10 2	3	(rivet\$1 or bolt\$1 or nut\$1) and S101	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 16:51
S10 3	2	oven\$1 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/14 18:02